



**Insulate your timber floors.**  
Stay warmer in winter and  
cooler in summer...

\* depending on house construction and type of timber floor.

**SEALECTION™500**  
Spray Foam Insulation

- Save up to 30% on heating and cooling costs\*
- Keep your home warmer in winter & cooler in summer
- Environmentally friendly
- Reduce greenhouse emissions



*Feel the difference under foot...  
See the difference on your energy bills!*

### **Introducing Sealection 500.**


Sealection 500™ is a revolutionary insulation that is sprayed directly onto the underneath of timber floors. The insulation is made up of millions of microscopic cells that simultaneously insulates while providing an air-seal eliminating draughts. Sealection 500™ is applied as a liquid which expands into a foam, curing in just seconds - creating a 100mm (approx) insulation barrier.

### **Enjoy greater comfort, save money & help the environment.**

A home with timber floors when insulated with Sealection 500™ is substantially warmer in winter and cooler in summer. Energy bills become cheaper, because air leakage and floor surface exposure can contribute to a loss of 30% efficiency or more. Sealection 500™ will not only reduce household energy consumption, and save you money - but will also reduce carbon emissions to help improve our environment.

### **Stops draughts & air leakage.**

In one simple application, Sealection 500™ seals and insulates, providing a superior thermal insulation barrier. It completely fills cracks and cavities forming a continuous air barrier that adheres to the underfloor and building components thus, eliminating draughts while providing amazing insulating performance.



*Sealection 500 - Environmentally  
friendly, simple and efficient.*

### **Long Lasting:**

Once installed, Sealection 500™ does not shrink, settle or disintegrate. Unlike most conventional insulation materials, it maintains its efficiency with no loss of R-Value over the life of the building.

### **Professionally installed.**

Sealection 500™ is only installed by a fully qualified and licensed Insulfoam Solutions professional. The average home takes around 1 day to complete and your house is completely safe to inhabit while installation is occurring.

## Testimonials

'Since installing Sealection 500 to the underside of our timber floor, we have downsized our heating appliances from three units to one, The climate ambience difference is amazing! Our children now enjoy playing on the floor in bare feet. The cold and draughts are gone!'

[David & Paula from Woodend.](#)

'We built a new home and insulated the walls, roofline and under the timber first floor with Sealection 500. The performance on hot days was incredible, the temperature outside was in the high 30c's and indoors it was about 18 - 20c. And this was *before* we installed the air-conditioning unit! We were able to downsize the unit and saved money on the purchase and now on running costs.'

[Andrew & Cindy from Eltham.](#)

## No obligation quote.

Call us today for a no obligation quote and performance information. A more comfortable home with greater insulation efficiency, cheaper heating and cooling bills - is just a call away.

Minimum clearance required under the floor bearers is 450mm

Dealer stamp:

 **SEALECTION™500**  
Spray Foam Insulation

 **insulfoam**  
solutions P/L

For more information visit our website:

[www.insulfoamsolutions.com.au](http://www.insulfoamsolutions.com.au)

email: [info@insulfoamsolutions.com.au](mailto:info@insulfoamsolutions.com.au)



Printed on :: Elemental Chlorine Free paper

Design :: [www.jwam.com.au](http://www.jwam.com.au)

© Copyright 2008